

beka








Relieve your caregivers, activate your residents!

The NORA Alu stand-up and raising aid was specially designed for residents who still have the ability to stand for a short time with the help of supporting tools. The active ift is ideal for transporting residents safely and comfortably without putting any strain on the back of the caregiver.

With NORA Alu, caregivers have the possibility to mobilize the resident, stabilize and improve their musculoskeletal system. This has been proven to lead to a higher quality of life for your residents. NORA Alu is characterized by high quality and reliable technology and is ideal for use in small rooms.









Flexible, height-adjustable knee pads with safety belts, specially adaptable to smaller residents



Additional sling attachment points



Suitable for toileting and showering the intimate areas



Ergonomic grip handles for both, caregiver and residents



Highly maneuverable castors, two of them with brakes

Suitable for smaller residents

Residents with a height of up to 1.60 m (5 ft 2 in) often have the problem with active lifters that they are brought into an uncomfortable and painful position when they are raised up. By connecting the lifting sling to the attachment points specially made for smaller residents, you can help avoid the painful exertion of pressure in the back and armpit area.

Comfortable, height-adjustable & flexible knee pads

The ergonomically shaped knee pads can be individually adjusted to each resident. In this way, painful pressure on the kneecap can be effectively prevented during the stand-up motion.



Thanks to the lightweight construction of the NORA Alu, the active lifter can be moved very easily. The NORA Alu can be operated by one caregiver and thanks to the smart ergonomic concept can prevents back injuries and incorrect strain on caregivers.



The use of high quality aluminum components enables the lightweight construction of the NORA Alu.



Technical Data

Length	1.027 mm
Outside width legs, chassis closed	700 mm
Inside width legs, chassis spread	897 mm
Weight	approx. 51 kg
Height (min. / max.)	1.168 mm / 1.781 mm
SWL	200 kg
Battery	24 V

Product Information

Electrically, spreadable chassis	
Lightweight construction made of aluminum	
Additional sling attachment points for raising residents under 1.60m in height	
Flexible, height-adjustable knee pads with safety belts	
Emergency lowering function	
Closed double castors	
Ergonomic grip handles	
Hand control with symbols for all functions and display of the battery status	

Available Options



24 V replacement battery

Sit-to-stand slings





Wall charger

Sit-to-stand sling with clip

Arm and back support with anti-slip coating Double safety straps for the chest area Additionally padded chest strap



BEKA Hospitec GmbH | Am Rübenmorgen 3 | 35582 Wetzlar-Dutenhofen Tel +49 641 922 20-0 | E-Mail info@beka-hospitec.com www.beka-hospitec.com

