CARLO Trend, Model EP

beka different By design





Benefits for your nursing staff and your residents ...

\checkmark	Carrier frame and lifting column r
\checkmark	Extra light and easy to maneuver
\checkmark	High-quality lockable double cas
\checkmark	Electrical height adjustment and
\checkmark	Electrically adjustable hanger ba
\checkmark	4-point sling spreader bar can be
\checkmark	No unsetting pendular or rotation
	ferring thanks to patented anti-ro
\checkmark	Can easily pass underneath both
\checkmark	Hand control with display of the
\checkmark	Working in an ergonomic and he
	as no manual lifting is required
\checkmark	4-point clip sling spreader bar

- \checkmark
- Also available with patient scale



made out of aluminium and steel

stors

electrically spreadable carrier frame ar alllows for seamless patient positioning be lowered to the floor nal movements during lifting and transotation mechanism (ARM) h bath tubs and care beds battery charge status ealth-orientated manner,

Large choice of comfortable clip slings of different sizes



Technical data	Modell EP 185	Modell EP 205
Carrier frame (length/height)	1.290 mm / 125 mm	1.290 mm / 125 mm
Inner width (closed/spread)	540 mm / 1.040 mm	540 mm / 1.040 mm
Outer width (closed/spread)	700 mm / 1.180 mm	700 mm / 1.180 mm
Total width of the lift (carrier frame closed)	700 mm	700 mm
Lifting range	1.400 mm	1.400 mm
Max. patient weight	185 kg	205 kg
SWL	185 kg	205 kg
Drive	24V LINAK drive	24V LINAK drive

Accessories / Options

Patient Transfer slings with clips (available in d Bathing slings with clips (available in di Toilet slings with clips (available in dif Soft slings with clips (available in dif Spare batte

External wall ch

lifferent sizes, standard size S-XXL) lifferent sizes, standard size S-XXL) fferent sizes, standard size S-XL)
lifferent sizes, standard size S-XXL) fferent sizes, standard size S-XL)
fferent sizes, standard size S-XL)
fferent sizes, standard size S-XL)
ery 24 V 🕢
harging unit



BEKA Hospitec GmbH | Am Rübenmorgen 3 | 35582 Wetzlar-Dutenhofen Tel +49 641 922 20-0 | E-Mail info@beka-hospitec.com www.beka-hospitec.com

