# CARLO Alu, Comfort EP 185

# beka DIFFERENT BY DESIGN





## Robust patient lift with anti-rotatio mechanism (ARM) and electric positioning system (EPS).

The electric positioning system (EPS) of the CARLO Alu, Comfort EP 185 enables caregivers to position their residents effortlessly, precisely and without exertion, while always maintaining direct contact.

This way, caregivers are able to devote their full attention to residents, giving them an additional feeling of security while maintaining an ergonomic working posture at the same time. Residents can easily be transferred from a sitting to a lying position and vice versa, allowing for an optimal positioning in bed or over the toilet.

Residents experience a noticeable pressure relief on their legs, especially when lying down. The anti-rotation mechanism (ARM) prevents unwanted rotation of the sling during transfers and reduces unsettling swinging and swaying movements allowing for a single caregiver transfer without sacrificing resident security.



Electronic positioning system (EPS) for precise and effortless positioning.



Anti-rotation mechanism (ARM)



Electrical spreadable chassis and height adjustment

#### Technical Data

Chassis (L x H)	1.
Inner leg width ( legs closed/open )	54
Outer leg width ( legs closed)	7(
Lifting range	1.
SWL	18

## Product Information

Light and easy to
Hand control with display
Clip-system hanger bar wit
Electric height adjustment and ele
Anti-rotation mech
Electric positioning

### Available Options



Extra battery 24 V

Digital patient scale

Clip Slings



Transfer slings With headrest Padded leg support High quality nylon material



Bathing slings With headrest Padded leg support High quality nylon-mesh material



Optional: digital scale




between the hanger bar and the column



Lowering of the hanger bar to the floor



Hand control with display of the battery charge status



High quality double castors



Ideal for bathing and showering

1.290 mm x 125 mm
540 mm / 1.040 mm
700 mm / 1.180 mm
1.400 mm
185 kg

o maneuver

of the battery status

th 360° rotation range

ectrically spreadable chassis

nanism (ARM)

system (EPS)



Wall charging unit

Low chassis



Toilet slings With headrest Padded leg support Arm padding



Soft slings

With headrest Padded leg support Breathable nylon/cotton blend



BEKA Hospitec GmbH | Am Rübenmorgen 3 | 35582 Wetzlar-Dutenhofen Tel +49 641 922 20-0 | E-Mail info@beka-hospitec.com www.beka-hospitec.com

